

## Figures

---

Figure 2-1	ZX Graphics Accelerator Board . . . . .	7
Figure 3-1	Opening the System Unit of a Two-slot SPARCstation . . . . .	15
Figure 3-2	Open Two-slot SPARCstation System Unit . . . . .	16
Figure 3-3	Attaching the Wrist Strap . . . . .	17
Figure 3-4	SBus Slot Filler Plates in a Two-slot SPARCstation . . . . .	18
Figure 3-5	Removing the ZX Board from the Antistatic Envelope . . . . .	19
Figure 3-6	Installing the Bumpers on the ZX Board . . . . .	19
Figure 3-7	Installing the Adapter Bracket . . . . .	20
Figure 3-8	Installing the ZX Board in the System Unit of a Two-slot SPARCstation . . . . .	21
Figure 3-9	Closing the System Unit of a Two-slot SPARCstation . . . . .	22
Figure 3-10	Connecting the Monitor to a Two-slot SPARCstation . . . . .	23
Figure 4-1	SPARCstation 10 System Rear Panel . . . . .	29
Figure 4-2	Removing the SPARCstation 20 System Unit Cover . . . . .	30
Figure 4-3	Attaching the Wrist Strap . . . . .	31
Figure 4-4	Removing the GX Card from the SPARCstation 10 System Unit	32
Figure 4-5	Open SPARCstation 10 System Unit SBus Slots . . . . .	33

---

Figure 4-6	Removing the SPARCstation 10 Rear Panel Filler Plates . . . . .	34
Figure 4-7	Removing the ZX Board from the Antistatic Envelope . . . . .	35
Figure 4-8	Installing the ZX Board in the SPARCstation 10. . . . .	36
Figure 4-9	Replacing the SPARCstation 20 System Unit Top Cover . . . . .	37
Figure 4-10	Connecting the Monitor to the SPARCstation 10 . . . . .	38
Figure 5-1	Removing Ultra 1 System Top Cover . . . . .	43
Figure 5-2	Attaching the Wrist Strap. . . . .	44
Figure 5-3	Removing the ZX Board from the Antistatic Envelope . . . . .	45
Figure 5-4	SBus Slots . . . . .	46
Figure 5-5	Connect Ribbon Cable to Workstation SBus Connector . . . . .	47
Figure 5-6	Connect Ribbon Cable to ZX Board Connector. . . . .	48
Figure 5-7	Align the ZX Board SBus Connector with SBus Slot 1. . . . .	49
Figure 5-8	ZX Board Video Connector . . . . .	50
Figure 6-1	Ultra 2 Workstation SBus Slots . . . . .	54
Figure 7-1	System Board SBus Slots. . . . .	57
Figure 7-2	System Board SBus Slot Filler Plates. . . . .	57
Figure 7-3	Attaching the Wrist Strap. . . . .	58
Figure 7-4	System Board Standoffs . . . . .	59
Figure 7-5	Removing the ZX Board from the Antistatic Envelope . . . . .	59
Figure 7-6	Install New Standoffs . . . . .	60
Figure 7-7	Installing the ZX Board on the System Board . . . . .	61
Figure 7-8	Attach the ZX Board to the System Board Back Panel. . . . .	62
Figure 7-9	Attach the ZX Board Standoffs to the System Board . . . . .	62
Figure 7-10	ZX Board Monitor Connector . . . . .	63
Figure A-1	ZX Graphics Accelerator Rear Panel . . . . .	79

---

Figure A-2	Sun Class B Monitor Connector (13W3) . . . . .	80
Figure A-3	Stereo Connector Signals . . . . .	83
Figure A-4	Stereo Signal . . . . .	83
Figure A-5	Ferrite Core on Stereo Cable (Ultra 1 Systems Only) . . . . .	84

