

Figures

FIGURE 1-1	Ultra 2 Series Desktop System	1-2
FIGURE 1-2	Ultra Enterprise 2 Server	1-2
FIGURE 1-3	System Unit Interior	1-7
FIGURE 1-4	System Unit Rear Panel	1-8
FIGURE 3-1	Setting Up a tip Connection	3-3
FIGURE 3-2	Sun Type-5 Keyboard	3-5
FIGURE 3-3	Power LED	3-17
FIGURE 4-1	Power Supply Connector J3203	4-6
FIGURE 4-2	Power Supply Connector J3204	4-7
FIGURE 4-3	Power Supply Connector J3205	4-8
FIGURE 4-4	Power Supply Connector J3206	4-9
FIGURE 6-1	Rear View of the System Unit	6-2
FIGURE 6-2	Sun Type-5 Keyboard	6-3
FIGURE 7-1	Location of Lock Block	7-2
FIGURE 7-2	Removing the System Unit Cover	7-3
FIGURE 7-3	Attaching the Wrist Strap	7-4
FIGURE 7-4	Replacing the System Unit Cover	7-5
FIGURE 8-1	Removing the Power Supply	8-3
FIGURE 8-2	Replacing the Power Supply	8-5

FIGURE 8-3	Removing and Replacing the SCSI Cable Assembly	8-7
FIGURE 8-4	Removing and Replacing the Diskette Drive Cable Assembly	8-9
FIGURE 8-5	Shroud Assembly Removal	8-11
FIGURE 8-6	Removing and Replacing the Shroud Assembly Speaker	8-14
FIGURE 9-1	Removing and Replacing a Hard Drive	9-3
FIGURE 9-2	Removing and Replacing the Chassis Bracket	9-6
FIGURE 9-3	Removing and Replacing the CD-ROM Drive	9-9
FIGURE 9-4	Removing and Replacing the Diskette Drive	9-11
FIGURE 10-1	CPU Module Locations and Shroud Assembly Processor Area	10-3
FIGURE 10-2	Removing a CPU Module	10-3
FIGURE 10-3	NVRAM/TOD Location	10-6
FIGURE 10-4	Removing an SBus Card	10-8
FIGURE 10-5	Installing the Card Extractor	10-9
FIGURE 10-6	Removing the SBus Card Adapter Bracket	10-10
FIGURE 10-7	Removing an SBus Card Extractor	10-11
FIGURE 10-8	Replacing an SBus Card	10-12
FIGURE 10-9	Preparing to Remove a UPA Graphics Card	10-14
FIGURE 10-10	Removing a UPA Graphics Card	10-14
FIGURE 10-11	Replacing a UPA Graphics Card	10-16
FIGURE 10-12	Seating a UPA Graphics Card into the Socket	10-17
FIGURE 10-13	Securing a UPA Graphics Card into the Chassis	10-17
FIGURE 10-14	DSIMM Ejection Lever	10-19
FIGURE 10-15	Incorrect and Correct Ways to Seat the DSIMM	10-21
FIGURE 10-16	Removing a Motherboard	10-25
FIGURE 11-1	System Unit Exploded View	11-2
FIGURE B-1	Keyboard/Mouse Connector Pin Configuration	B-2
FIGURE B-2	Serial Port A and B Connectors Pin Configuration	B-4
FIGURE B-3	TPE Connector Pin Configuration	B-7

FIGURE B-4	Fast/Wide SCSI Connector Pin Configuration	B-8
FIGURE B-5	Audio Port Connectors Jack Configuration	B-11
FIGURE B-6	Parallel Port Connector Pin Configuration	B-12
FIGURE B-7	MII Connector Pin Configuration	B-14
FIGURE B-8	UPA Graphics Card 13W3 Connector Pin Configuration	B-16
FIGURE C-1	System Unit or Server Functional Block Diagram	C-3
FIGURE C-2	DSIMM Group and Bank Layout	C-8
FIGURE C-3	Connecting External Mass Storage Devices	C-13
FIGURE C-4	Host(s)-to-Hub Star Configuration LAN	C-16
FIGURE C-5	Ensuring a 10BASE-T Host-to-Hub Communication Network	C-17
FIGURE C-6	Ultra 2 Series Motherboard Block Diagram	C-32
FIGURE C-7	Selected Jumper Settings	C-33
FIGURE C-8	Identifying Jumper Pins	C-33

